



Project: _____

Location: _____

Fixture Type: _____

Catalog Number: _____

AVAILABLE FINISHES:



Cascade

PD-41805R

PRODUCT DESCRIPTION

A new aged brass finish updates the original Cascade design for a more refined take on minimalist glam. Each pendant illuminates bountifully while the etched caps punctuate each piecelike a chic yet understated exclamation of luxury.

FEATURES


- Driver concealed within the canopy
- CNC precision-cut etched diffuser
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277V,50/60Hz
Dimming	ELV
Color Temp	3500K
CRI	90
Construction	Steel body with acrylic diffuser

REPLACEMENT PARTS

RPL-GLA-41819 - Glass




PD-41805R


Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-41805R 17" - 5 Lights	3500K 90	35W	1876	AB Aged Brass
	3500K 90	35W	1876	BK Black
	3500K 90	35W	1876	PN Polished Nickel

Example: **PD-41805R-PN**

For custom requests please contact customs@modernforms.com



Ø17"



PD-41809R

Project: _____

Location: _____

Fixture Type: _____

Catalog Number: _____

AVAILABLE FINISHES:



Cascade

PD-41809R

PRODUCT DESCRIPTION

A new aged brass finish updates the original Cascade design for a more refined take on minimalist glam. Each pendant illuminates bountifully while the etched caps punctuate each piecelike a chic yet understated exclamation of luxury.

FEATURES

- Driver concealed within the canopy
- CNC precision-cut etched diffuser
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277V,50/60Hz
Dimming	ELV
Color Temp	3500K
CRI	90
Construction	Steel body with acrylic diffuser


REPLACEMENT PARTS

RPL-GLA-41819 - Glass

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-41809R 17" - 9 Lights	3500K 90	63W	3377	AB Aged Brass
	3500K 90	63W	3377	BK Black
	3500K 90	63W	3377	PN Polished Nickel

Example: **PD-41809R-PN**

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cascade

PD-41815R

PRODUCT DESCRIPTION

A new aged brass finish updates the original Cascade design for a more refined take on minimalist glam. Each pendant illuminates bountifully while the etched caps punctuate each piecelike a chic yet understated exclamation of luxury.

FEATURES

- Driver concealed within the canopy
- CNC precision-cut etched diffuser
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 15 and 21 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100 lbs. or supported independently of the outlet box

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277V,50/60Hz
Dimming	ELV
Color Temp	3500K
CRI	90
Construction	Steel body with acrylic diffuser


REPLACEMENT PARTS

RPL-GLA-41819 - Glass

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-41815R 23" - 15 Lights	3500K 90	105W	5629	AB Aged Brass
	3500K 90	105W	5629	BK Black
	3500K 90	105W	5629	PN Polished Nickel

Example: **PD-41815R-PN**

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cascade

PD-41821R

PRODUCT DESCRIPTION

A new aged brass finish updates the original Cascade design for a more refined take on minimalist glam. Each pendant illuminates bountifully while the etched caps punctuate each piece like a chic yet understated exclamation of luxury.

FEATURES

- Driver concealed within the canopy
- CNC precision-cut etched diffuser
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 15 and 21 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100 lbs. or supported independently of the outlet box

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277V, 50/60Hz
Dimming	ELV
Color Temp	3500K
CRI	90
Construction	Steel body with acrylic diffuser

REPLACEMENT PARTS

RPL-GLA-41819 - Glass

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-41821R 26" - 21 Lights	3500K 90	147W	7880	AB Aged Brass
	3500K 90	147W	7880	BK Black
	3500K 90	147W	7880	PN Polished Nickel

Example: **PD-41821R-PN**

For custom requests please contact customs@modernforms.com