




PD-45918

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Portal

PD-45918

PRODUCT DESCRIPTION

A welcome style statement that makes a lasting impression. A modern expression of a classic lantern, ideal for corridors and foyers in fine homes, offices and hotels. The minimalist design with strong robust illumination adjusts easily for varying angles and configurations.

FEATURES

- Driver concealed within the canopy
- Sanded acrylic diffuser spreads light evenly
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees

SPECIFICATIONS

Rated Life	55000 Hours
Standards	ETL, cETL, Damp Location Listed, Title 24 JA8: 2019 Compliant
Input	120-277 VAC, 50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	3000K
CRI	90
Construction	Steel hardware, sanded acrylic diffuser


REPLACEMENT PARTS

RPL-ROD-IN06-BB - 6" Rod
RPL-ROD-IN12-BB - 12" Rod

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-45918 18"	3000K	AB Aged Brass	26W	1850	1295

Example: **PD-45918-AB**

For custom requests please contact customs@modernforms.com



PD-45926

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Portal

PD-45926

PRODUCT DESCRIPTION

A welcome style statement that makes a lasting impression. A modern expression of a classic lantern, ideal for corridors and foyers in fine homes, offices and hotels. The minimalist design with strong robust illumination adjusts easily for varying angles and configurations.

FEATURES

- Driver concealed within the canopy
- Sanded acrylic diffuser spreads light evenly
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees

SPECIFICATIONS

Rated Life	55000 Hours
Standards	ETL, cETL, Damp Location Listed, Title 24 JA8: 2019 Compliant
Input	120-277 VAC, 50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	3000K
CRI	90
Construction	Steel hardware, sanded acrylic diffuser


REPLACEMENT PARTS

RPL-ROD-IN06-BB - 6" Rod
RPL-ROD-IN12-BB - 12" Rod

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-45926 26"	3000K	AB Aged Brass	37W	2991	2094

Example: **PD-45926-AB**

For custom requests please contact customs@modernforms.com



PD-45934

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Portal

PD-45934

PRODUCT DESCRIPTION

A welcome style statement that makes a lasting impression. A modern expression of a classic lantern, ideal for corridors and foyers in fine homes, offices and hotels. The minimalist design with strong robust illumination adjusts easily for varying angles and configurations.

FEATURES

- Driver concealed within the canopy
- Sanded acrylic diffuser spreads light evenly
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees

SPECIFICATIONS

Rated Life	55000 Hours
Standards	ETL, cETL, Damp Location Listed, Title 24 JA8: 2019 Compliant
Input	120-277 VAC, 50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	3000K
CRI	90
Construction	Steel hardware, sanded acrylic diffuser

REPLACEMENT PARTS

RPL-ROD-IN06-BB - 6" Rod
RPL-ROD-IN12-BB - 12" Rod

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-45934 34"	3000K	AB Aged Brass	43W	3429	2400

Example: **PD-45934-AB**

For custom requests please contact customs@modernforms.com