



Project: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

**AVAILABLE FINISHES:**



# Portal

PD-45918

**PRODUCT DESCRIPTION**

A welcome style statement that makes a lasting impression. A modern expression of a classic lantern, ideal for corridors and foyers in fine homes, offices and hotels. The minimalist design with strong robust illumination adjusts easily for varying angles and configurations.

**FEATURES**


- Driver concealed within the canopy
- Sanded acrylic diffuser spreads light evenly
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees

**SPECIFICATIONS**

Rated Life	55000 Hours
Standards	ETL, cETL, Damp Location Listed, Title 24 JA8: 2019 Compliant
Input	120-277 VAC, 50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	3000K
CRI	90
Construction	Steel hardware, sanded acrylic diffuser

**REPLACEMENT PARTS**

- RPL-ROD-IN06-BB - 6" Rod
- RPL-ROD-IN12-BB - 12" Rod



PD-45918

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-45918 18"	3000K	AB Aged Brass	26W	1850	1295

Example: **PD-45918-AB**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



Project: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

**AVAILABLE FINISHES:**



# Portal

PD-45926

**PRODUCT DESCRIPTION**

A welcome style statement that makes a lasting impression. A modern expression of a classic lantern, ideal for corridors and foyers in fine homes, offices and hotels. The minimalist design with strong robust illumination adjusts easily for varying angles and configurations.

**FEATURES**


- Driver concealed within the canopy
- Sanded acrylic diffuser spreads light evenly
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees

**SPECIFICATIONS**

Rated Life	55000 Hours
Standards	ETL, cETL, Damp Location Listed, Title 24 JA8: 2019 Compliant
Input	120-277 VAC, 50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	3000K
CRI	90
Construction	Steel hardware, sanded acrylic diffuser

**REPLACEMENT PARTS**

- RPL-ROD-IN06-BB - 6" Rod
- RPL-ROD-IN12-BB - 12" Rod



PD-45926

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-45926 26"	3000K	AB Aged Brass	37W	2991	2094

Example: **PD-45926-AB**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



Project: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

**AVAILABLE FINISHES:**



# Portal

PD-45934

**PRODUCT DESCRIPTION**

A welcome style statement that makes a lasting impression. A modern expression of a classic lantern, ideal for corridors and foyers in fine homes, offices and hotels. The minimalist design with strong robust illumination adjusts easily for varying angles and configurations.

**FEATURES**


- Driver concealed within the canopy
- Sanded acrylic diffuser spreads light evenly
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees

**SPECIFICATIONS**

Rated Life	55000 Hours
Standards	ETL, cETL, Damp Location Listed, Title 24 JA8: 2019 Compliant
Input	120-277 VAC, 50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	3000K
CRI	90
Construction	Steel hardware, sanded acrylic diffuser

**REPLACEMENT PARTS**

- RPL-ROD-IN06-BB - 6" Rod
- RPL-ROD-IN12-BB - 12" Rod



PD-45934

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-45934 34"	3000K	AB Aged Brass	43W	3429	2400

Example: **PD-45934-AB**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)