



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Aegean

WS-45522

PRODUCT DESCRIPTION

Thick blocks of mouth-blown opal glass are separated by lustrous rippled metal castings, a luxurious contrast of light and shine on this sleek addition to residential, restaurant and hospitality baths. And cutting-edge LEDs ensure this sconce provides energy-efficient illumination for many thousands of hours.

FEATURES


- ACLED driverless technology
- Mouth-blown opal glass diffuser

SPECIFICATIONS

Rated Life	80000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120 VAC, 50/60Hz
Dimming	ELV
Color Temp	3000K
CRI	90
Construction	Cast metal hardware, mouth blown glass

REPLACEMENT PARTS

RPL-GLA-45512-01 - Glass



WS-45522

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-45522 22"	3000K	PN Polished Nickel	19W	1369	1040

Example: **WS-45522-PN**

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Aegean

WS-45531

PRODUCT DESCRIPTION

Thick blocks of mouth-blown opal glass are separated by lustrous rippled metal castings, a luxurious contrast of light and shine on this sleek addition to residential, restaurant and hospitality baths. And cutting-edge LEDs ensure this sconce provides energy-efficient illumination for many thousands of hours.

FEATURES


- ACLED driverless technology
- Mouth-blown opal glass diffuser

SPECIFICATIONS

Rated Life	80000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120 VAC, 50/60Hz
Dimming	ELV
Color Temp	3000K
CRI	90
Construction	Cast metal hardware, mouth blown glass

REPLACEMENT PARTS

RPL-GLA-45512-01 - Glass



WS-45531

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-45531 31"	3000K	PN Polished Nickel	28.5W	2017	1535

Example: **WS-45531-PN**

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Aegean

WS-45541

PRODUCT DESCRIPTION

Thick blocks of mouth-blown opal glass are separated by lustrous rippled metal castings, a luxurious contrast of light and shine on this sleek addition to residential, restaurant and hospitality baths. And cutting-edge LEDs ensure this sconce provides energy-efficient illumination for many thousands of hours.

FEATURES


- ACLED driverless technology
- Mouth-blown opal glass diffuser

SPECIFICATIONS

Rated Life	80000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120 VAC, 50/60Hz
Dimming	ELV
Color Temp	3000K
CRI	90
Construction	Cast metal hardware, mouth blown glass

REPLACEMENT PARTS

RPL-GLA-45512-01 - Glass



WS-45541

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-45541 41"	3000K	PN Polished Nickel	39W	2840	2050

Example: **WS-45541-PN**

For custom requests please contact customs@modernforms.com