Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:

Mini Vogue

WS-21718

PRODUCT DESCRIPTION

This minimalist design adapts to almost any decor scheme, from urban industrial to everyday transitional, with its slim, linear form and versatile finishes. Perfect for baths, foyers and hallways.

FEATURES

- Driver installed within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"
- Extruded acrylic diffuser
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Conversion plate included for 4" junction box
- Adjustable backplate accommodates to off-center junction box locations
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)



WS-21718

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant
Input	120-277 VAC,50/60Hz
Driver Dimension	2.8" x 1.3" x 1.2"
Dimming	ELV
Mounting	Can be mounted on wall in all orientations
Color Temp	3000K,3500K,2700K
CRI	90
Construction	Die-cast aluminum end caps, aluminum back plate, extruded acrylic diffuser

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
❍ WS-21718 20"	❍ 2700K	❍ BK Black	15.6W	1140	1077
	❍ 2700K	❍ BN Brushed Nickel	15.6W	1140	1077
	❍ 2700K	❍ CH Chrome	15.6W	1140	1077
	❍ 3000K	❍ BK Black	15.6W	1199	1126
	❍ 3000K	❍ BN Brushed Nickel	15.6W	1199	1126
	❍ 3000K	❍ CH Chrome	15.6W	1199	1126
	❍ 3500K	❍ BK Black	15.6W	1233	1175
	❍ 3500K	❍ BN Brushed Nickel	15.6W	1233	1175
	❍ 3500K	❍ CH Chrome	15.6W	1233	1175

Example: **WS-21718-35-CH**

For custom requests please contact customs@modernforms.com

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:

Mini Vogue

WS-21724

PRODUCT DESCRIPTION

This minimalist design adapts to almost any decor scheme, from urban industrial to everyday transitional, with its slim, linear form and versatile finishes. Perfect for baths, foyers and hallways.

FEATURES

- Driver installed within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"
- Extruded acrylic diffuser
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Conversion plate included for 4" junction box
- Adjustable backplate accommodates to off-center junction box locations
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Option to pre-select color temperature or adjust in the field



WS-21724

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant
Input	120-277 VAC,50/60Hz
Driver Dimension	2.8" x 1.3" x 1.2"
Dimming	ELV
Mounting	Can be mounted on wall in all orientations
Color Temp	2700K,3000K,3500K
CRI	90
Construction	Die-cast aluminum end caps, aluminum back plate, extruded acrylic diffuser

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
❍ WS-21724 26"	❍ 2700K	❍ BK Black	20.5W	1534	1443
	❍ 2700K	❍ BN Brushed Nickel	20.5W	1534	1443
	❍ 2700K	❍ CH Chrome	20.5W	1534	1443
	❍ 3000K	❍ BK Black	20.5W	1599	1491
	❍ 3000K	❍ BN Brushed Nickel	20.5W	1599	1491
	❍ 3000K	❍ CH Chrome	20.5W	1599	1491
	❍ 3500K	❍ BK Black	20.5W	1649	1567
	❍ 3500K	❍ BN Brushed Nickel	20.5W	1649	1567
	❍ 3500K	❍ CH Chrome	20.5W	1649	1567

Example: **WS-21724-35-CH**

For custom requests please contact customs@modernforms.com

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:

Mini Vogue

WS-21736

PRODUCT DESCRIPTION

This minimalist design adapts to almost any decor scheme, from urban industrial to everyday transitional, with its slim, linear form and versatile finishes. Perfect for baths, foyers and hallways.

FEATURES

- Driver installed within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"
- Extruded acrylic diffuser
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Conversion plate included for 4" junction box
- Adjustable backplate accommodates to off-center junction box locations
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Option to pre-select color temperature or adjust in the field



WS-21736

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant
Input	120-277 VAC,50/60Hz
Driver Dimension	2.8" x 1.3" x 1.2"
Dimming	ELV
Mounting	Can be mounted on wall in all orientations
Color Temp	2700K,3000K,3500K
CRI	90
Construction	Die-cast aluminum end caps, aluminum back plate, extruded acrylic diffuser

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
❍ WS-21736 38"	❍ 2700K	❍ BK Black	29.5W	2446	2172
	❍ 2700K	❍ BN Brushed Nickel	29.5W	2446	2172
	❍ 2700K	❍ CH Chrome	29.5W	2446	2172
	❍ 3000K	❍ BK Black	29.5W	2564	2269
	❍ 3000K	❍ BN Brushed Nickel	29.5W	2564	2269
	❍ 3000K	❍ CH Chrome	29.5W	2564	2269
	❍ 3500K	❍ BK Black	29.5W	2669	2363
	❍ 3500K	❍ BN Brushed Nickel	29.5W	2669	2363
	❍ 3500K	❍ CH Chrome	29.5W	2669	2363

Example: **WS-21736-35-CH**

For custom requests please contact customs@modernforms.com