

WS-58814

# Project:

Location:

Fixture Type:

Catalog Number:

## AVAILABLE FINISHES:



# Tower

WS-58814

#### PRODUCT DESCRIPTION

Featuring an aged brass finish that's right in line with the latest trends, Tower brings understated luxury to every setting. The painstakingly V-cut seeded crystal inset adds a touchof glamour. With LEDs to light the crystal from both ends, plus a bonus hidden up light or downlight, this sconce delivers the best of both worlds—warm ambience and quality indirectillumination.

### FEATURES

- ACLED driverless technology
- V-cut K5 seedy crystal
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS065M010AFE-LO1)

SPECIFICATIONS	
Rated Life	54000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant,ADA
Input	120 VAC,50/60Hz
Dimming	ELV
Color Temp	3500K
CRI	90
Construction	Extruded aluminum hardware with steel end caps, K5-grade V-cut
	crystal

#### **REPLACEMENT PARTS**


RPL-GLA-58814 - Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-58814 14"	3500K	AB Aged Brass	15.4W	793	539

#### Example: WS-58814-AB

For custom requests please contact customs@modernforms.com





WS-58820

Project:

Location:

Fixture Type:

Catalog Number:

## AVAILABLE FINISHES:



# Tower

WS-58820

### PRODUCT DESCRIPTION

Featuring an aged brass finish that's right in line with the latest trends, Tower brings understated luxury to every setting. The painstakingly V-cut seeded crystal inset adds a touchof glamour. With LEDs to light the crystal from both ends, plus a bonus hidden up light or downlight, this sconce delivers the best of both worlds—warm ambience and quality indirectillumination.

### FEATURES

- ACLED driverless technology
- V-cut K5 seedy crystal
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS065M010AFE-LO1)

SPECIFICATIONS	
Rated Life	54000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant,ADA
Input	120 VAC,50/60Hz
Dimming	ELV
Color Temp	3500К
CRI	90
Construction	Extruded aluminum hardware with steel end caps, K5-grade V-cut
	crystal

#### **REPLACEMENT PARTS**


RPL-GLA-58820 - Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-58820 20"	3500K	AB Aged Brass	15.4W	803	661

#### Example: WS-58820-AB

For custom requests please contact customs@modernforms.com







Project:

Location:

Fixture Type:

Catalog Number:

## AVAILABLE FINISHES:



# Tower

WS-58827

### PRODUCT DESCRIPTION

Featuring an aged brass finish that's right in line with the latest trends, Tower brings understated luxury to every setting. The painstakingly V-cut seeded crystal inset adds a touchof glamour. With LEDs to light the crystal from both ends, plus a bonus hidden up light or downlight, this sconce delivers the best of both worlds—warm ambience and quality indirectillumination.

### FEATURES

- ACLED driverless technology
- V-cut K5 seedy crystal
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)

• 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS065M010AFE-LO1)

SPECIFICATIONS	
Rated Life	54000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant,ADA
Input	120 VAC,50/60Hz
Dimming	ELV
Color Temp	3500K
CRI	90
Construction	Extruded aluminum hardware with steel end caps, K5-grade V-cut
	crystal

### **REPLACEMENT PARTS**

RPL-GLA-58827 - Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-58827 27"	3500K	AB Aged Brass	15.4W	836	718

#### Example: WS-58827-AB

For custom requests please contact customs@modernforms.com