Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:

Minx

WS-62021

PRODUCT DESCRIPTION

Urbane and sleek. Reclaimed crystalline shards add sparkle and drama with continuous shadow free LED illumination. An instantly modern classic.

FEATURES

- Driver concealed within the canopy
- Reclaimed K5 crystal
- Downlight illlumination

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant
Input	120-277 VAC,120-277V,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Mounting	Can be mounted on wall vertically or upside down
Color Temp	3000K
CRI	90
Construction	Aluminum body with K5 crystal fused acrylic



Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
❍ WS-62021 21"	3000K 3000K	❍ AB Aged Brass ❍ BN Brushed Nickel	17.2W 17.2W	1183 1183	909 909

Example: **WS-62021-BN**

For custom requests please contact customs@modernforms.com

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:

Minx

WS-62029

FEATURES

- Driver concealed within the canopy
- Reclaimed K5 crystal
- Downlight illlumination

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant
Input	120-277 VAC,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Mounting	Can be mounted on wall vertically or upside down
Color Temp	3000K
CRI	90
Construction	Aluminum body with K5 crystal fused acrylic



Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
❍ WS-62029 29"	3000K	❍ AB Aged Brass	25.2W	1582	1131
	3000K	❍ BN Brushed Nickel	25.2W	1582	1131

Example: **WS-62029-BN**

For custom requests please contact customs@modernforms.com

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:

Minx

WS-62039

PRODUCT DESCRIPTION

Urbane and sleek. Reclaimed crystalline shards add sparkle and drama with continuous shadow free LED illumination. An instantly modern classic.

FEATURES

- Driver concealed within the canopy
- Reclaimed K5 crystal
- Downlight illlumination

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant
Input	120-277V,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Mounting	Can be mounted on wall vertically or upside down
Color Temp	3000K
CRI	90
Construction	Aluminum body with K5 crystal fused acrylic



Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
❍ WS-62039 39"	3000K	❍ AB Aged Brass	31.6W	2240	1827
	3000K	❍ BN Brushed Nickel	31.6W	2240	1827

Example: **WS-62039-BN**

For custom requests please contact customs@modernforms.com