Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:

Double Bubble

PD-82013S

PRODUCT DESCRIPTION

Like a minimalist take on a crystal ball, these pendant's laser etched orbs are installed in various arrangements on one canopy to create an artful statement as well as deliver amplelighting to spaces throughout a home or business.

FEATURES

- Driver concealed within the canopy
- Laser etched K9 crystal spheres
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100, 200, and 300 lbs. respectfully, or supported independently of the outlet box



PD 82013S

SPECIFICATIONS

Rated Life	55000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277 VAC,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	3000K
CRI	90
Construction	Die cast aluminum body with laser etched glass shade

REPLACEMENT PARTS

RPL-GLA-82005 - Glass

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
❍ PD-82013S 20" - 13 Lights	❍ 3000K 90	41W	3445	❍ AB Aged Brass
	❍ 3000K 90	41W	3445	❍ BK Black

Example: **PD-82013S-BK**

For custom requests please contact customs@modernforms.com

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:

Double Bubble

PD-82025S

PRODUCT DESCRIPTION

Like a minimalist take on a crystal ball, these pendant's laser etched orbs are installed in various arrangements on one canopy to create an artful statement as well as deliver amplelighting to spaces throughout a home or business.

FEATURES

- Driver concealed within the canopy
- Laser etched K9 crystal spheres
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100, 200, and 300 lbs. respectfully, or supported independently of the outlet box



PD-82025S

SPECIFICATIONS

Rated Life	55000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277 VAC,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	3000K
CRI	90
Construction	Die cast aluminum body with laser etched glass shade

REPLACEMENT PARTS

RPL-GLA-82005 - Glass

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
❍ PD-82025S 28" - 25 Lights	❍ 3000K 90	82W	7112	❍ AB Aged Brass
	❍ 3000K 90	82W	7112	❍ BK Black

Example: **PD-82025S-BK**

For custom requests please contact customs@modernforms.com

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:

Double Bubble

PD-82041S

PRODUCT DESCRIPTION

Like a minimalist take on a crystal ball, these pendant's laser etched orbs are installed in various arrangements on one canopy to create an artful statement as well as deliver amplelighting to spaces throughout a home or business.

FEATURES

- Driver concealed within the canopy
- Laser etched K9 crystal spheres
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100, 200, and 300 lbs. respectfully, or supported independently of the outlet box



PD-82041S

SPECIFICATIONS

Rated Life	55000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277 VAC,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	3000K
CRI	90
Construction	Die cast aluminum body with laser etched glass shade

REPLACEMENT PARTS

RPL-GLA-82005 - Glass

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
❍ PD-82041S 36" - 41 Lights	❍ 3000K 90	123W	10668	❍ AB Aged Brass
	❍ 3000K 90	123W	10668	❍ BK Black

Example: **PD-82041S-BK**

For custom requests please contact customs@modernforms.com