




PD-34413S

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Pisces

PD-34413S

PRODUCT DESCRIPTION

Embracing the art of light, a multitude of natural Spanish Alabaster orbs shimmer at different heights from a multi-point canopy, casting an entrancing celestial glow.

FEATURES

- Driver concealed within the canopy
- First class quality Spanish alabaster
- Natural alabaster with unique veining in each crafted piece
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277 VAC, 50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Spun aluminum frame with alabaster shade

Model & Size

Color Temp & CRI

Watt


Lumens

Finish

PD-34413S 20" - 13 Lights	2700K/3000K/ 90	101W 101W	4731 4731	AB Aged Brass BK Black
	2700K/3000K/ 90			

Example: **PD-34413S-BK**

For custom requests please contact customs@modernforms.com



PD-34425S


Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Pisces

PD-34425S

PRODUCT DESCRIPTION

Embracing the art of light, a multitude of natural Spanish Alabaster orbs shimmer at different heights from a multi-point canopy, casting an entrancing celestial glow.

FEATURES

- Driver concealed within the canopy
- First class quality Spanish alabaster
- Natural alabaster with unique veining in each crafted piece
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 25 and 41 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100 and 150 lbs. or supported independently of the outlet box


SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277 VAC,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Spun aluminum frame with alabaster shade

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-34425S 28" - 25 Lights	2700K/3000K/ 90	197W 197W	8996 8996	AB Aged Brass BK Black
	2700K/3000K/ 90			

Example: **PD-34425S-BK**

For custom requests please contact customs@modernforms.com



PD-34441S


Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Pisces

PD-34441S

PRODUCT DESCRIPTION

Embracing the art of light, a multitude of natural Spanish Alabaster orbs shimmer at different heights from a multi-point canopy, casting an entrancing celestial glow.

FEATURES

- Driver concealed within the canopy
- First class quality Spanish alabaster
- Natural alabaster with unique veining in each crafted piece
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 25 and 41 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100 and 150 lbs. or supported independently of the outlet box

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277 VAC, 50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Spun aluminum frame with alabaster shade

Model & Size

Color Temp & CRI

Watt

Lumens

Finish

PD-34441S 36" - 41 Lights	2700K/3000K/ 90	317W 317W	15376 15376	AB Aged Brass BK Black
	2700K/3000K/ 90			

Example: **PD-34441S-BK**

For custom requests please contact customs@modernforms.com