



Project: _____

Location: _____

Fixture Type: _____

Catalog Number: _____

AVAILABLE FINISHES:



Pisces

PD-34413S

PRODUCT DESCRIPTION


Embracing the art of light, a multitude of natural Spanish Alabaster orbs shimmer at different heights from a multi-point canopy, casting an entrancing celestial glow.

FEATURES

- Driver concealed within the canopy
- First class quality Spanish alabaster
- Natural alabaster with unique veining in each crafted piece
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277 VAC,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Spun aluminum frame with alabaster shade



PD-34413S

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-34413S 20" - 13 Lights	2700K/3000K/	101W	4731	AB Aged Brass
	90	101W	4731	BK Black
	2700K/3000K/			
	90			

Example: **PD-34413S-BK**

For custom requests please contact customs@modernforms.com



Project: _____

Location: _____

Fixture Type: _____

Catalog Number: _____

AVAILABLE FINISHES:



Pisces

PD-34425S

PRODUCT DESCRIPTION


Embracing the art of light, a multitude of natural Spanish Alabaster orbs shimmer at different heights from a multi-point canopy, casting an entrancing celestial glow.

FEATURES

- Driver concealed within the canopy
- First class quality Spanish alabaster
- Natural alabaster with unique veining in each crafted piece
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 25 and 41 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100 and 150 lbs. or supported independently of the outlet box

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277 VAC, 50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Spun aluminum frame with alabaster shade



PD-34425S

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-34425S 28" - 25 Lights	2700K/3000K/	197W	8996	AB Aged Brass
	90	197W	8996	BK Black
	2700K/3000K/			
	90			

Example: **PD-34425S-BK**

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Pisces

PD-34441S

PRODUCT DESCRIPTION


Embracing the art of light, a multitude of natural Spanish Alabaster orbs shimmer at different heights from a multi-point canopy, casting an entrancing celestial glow.

FEATURES

- Driver concealed within the canopy
- First class quality Spanish alabaster
- Natural alabaster with unique veining in each crafted piece
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- NEC CODE (314.24) requires that ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 25 and 41 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 100 and 150 lbs. or supported independently of the outlet box

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277 VAC,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Spun aluminum frame with alabaster shade



PD-34441S

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-34441S 36" - 41 Lights	2700K/3000K/	317W	15376	AB Aged Brass
	90	317W	15376	BK Black
	2700K/3000K/			
	90			

Example: **PD-34441S-BK**

For custom requests please contact customs@modernforms.com