



Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



# Ansel

PL-36518

**PRODUCT DESCRIPTION**


With its sleek, understated design, the Ansel picture light enhances your artwork without drawing attention to itself. The slim, tubular head rotates for precise lighting, allowing you to easily position the beam to perfectly illuminate your chosen piece with color temperature selectable LEDs. "

**FEATURES**

- Driver concealed within the canopy
- Rotatable light bar up to 70 degree to direct light as desired
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K

**SPECIFICATIONS**

|                     |                                      |
|---------------------|--------------------------------------|
| <b>Rated Life</b>   | 50,000 Hours                         |
| <b>Standards</b>    | ETL, cETL,Damp Location Listed       |
| <b>Input</b>        | 120-277 VAC,50/60Hz                  |
| <b>Dimming</b>      | ELV: 100-10%,TRIAC: 100-10%          |
| <b>Color Temp</b>   | 2700K,3000K,3500K,4000K              |
| <b>CRI</b>          | 90                                   |
| <b>Construction</b> | Aluminum frame with acrylic diffuser |



PL-36518

**REPLACEMENT PARTS**

- HDW-SY25-MA - Hardware Pack
- N/A - Hardware Pack

| Model & Size | Color Temp | Finish        | LED Watts | LED Lumens | Delivered Lumens |
|--------------|------------|---------------|-----------|------------|------------------|
| PL-36518 19" | 2700K      | AB Aged Brass | 15.9W     | 1100       | 846              |
|              | 2700K      | BK Black      | 15.9W     | 1100       | 846              |
|              | 3000K      | AB Aged Brass | 15.9W     | 1100       | 919              |
|              | 3000K      | BK Black      | 15.9W     | 1100       | 919              |
|              | 3500K      | AB Aged Brass | 15.9W     | 1100       | 979              |
|              | 3500K      | BK Black      | 15.9W     | 1100       | 979              |
|              | 4000K      | AB Aged Brass | 15.9W     | 1100       | 946              |
|              | 4000K      | BK Black      | 15.9W     | 1100       | 946              |

Example: **PL-36518-40-BK**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



Project: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

**AVAILABLE FINISHES:**



# Ansel

PL-36524

**PRODUCT DESCRIPTION**


With its sleek, understated design, the Ansel picture light enhances your artwork without drawing attention to itself. The slim, tubular head rotates for precise lighting, allowing you to easily position the beam to perfectly illuminate your chosen piece with color temperature selectable LEDs. "

**FEATURES**

- Driver concealed within the canopy
- Rotatable light bar up to 70 degree to direct light as desired
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K

**SPECIFICATIONS**

|                     |                                      |
|---------------------|--------------------------------------|
| <b>Rated Life</b>   | 50,000 Hours                         |
| <b>Standards</b>    | ETL, cETL,Damp Location Listed       |
| <b>Input</b>        | 120-277 VAC,50/60Hz                  |
| <b>Dimming</b>      | ELV: 100-10%,TRIAC: 100-10%          |
| <b>Color Temp</b>   | 2700K,3000K,3500K,4000K              |
| <b>CRI</b>          | 90                                   |
| <b>Construction</b> | Aluminum frame with acrylic diffuser |



PL-36524

**REPLACEMENT PARTS**

- HDW-SY25-MA - Hardware Pack
- N/A - Hardware Pack

| Model & Size | Color Temp | Finish        | LED Watts | LED Lumens | Delivered Lumens |
|--------------|------------|---------------|-----------|------------|------------------|
| PL-36524 24" | 2700K      | AB Aged Brass | 19.5W     | 1500       | 1186             |
|              | 2700K      | BK Black      | 19.5W     | 1500       | 1186             |
|              | 3000K      | AB Aged Brass | 19.5W     | 1500       | 1260             |
|              | 3000K      | BK Black      | 19.5W     | 1500       | 1260             |
|              | 3500K      | AB Aged Brass | 19.5W     | 1500       | 1324             |
|              | 3500K      | BK Black      | 19.5W     | 1500       | 1324             |
|              | 4000K      | AB Aged Brass | 19.5W     | 1500       | 1306             |
|              | 4000K      | BK Black      | 19.5W     | 1500       | 1306             |

Example: **PL-36524-40-BK**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



Project: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

**AVAILABLE FINISHES:**



# Ansel

PL-36530

**PRODUCT DESCRIPTION**


With its sleek, understated design, the Ansel picture light enhances your artwork without drawing attention to itself. The slim, tubular head rotates for precise lighting, allowing you to easily position the beam to perfectly illuminate your chosen piece with color temperature selectable LEDs. "

**FEATURES**

- Driver concealed within the canopy
- Rotatable light bar up to 70 degree to direct light as desired
- Conversion plate included to accommodate 4" junction box
- Trimless spackle cover available for 4" square junction box recessed in drywall thicknesses of 1/2", 5/8", 1", and 1-1/4"; accessory not included and can be ordered separately (model# MKCP-3040-WT)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K

**SPECIFICATIONS**

|                     |                                      |
|---------------------|--------------------------------------|
| <b>Rated Life</b>   | 50,000 Hours                         |
| <b>Standards</b>    | ETL, cETL,Damp Location Listed       |
| <b>Input</b>        | 120-277 VAC,50/60Hz                  |
| <b>Dimming</b>      | ELV: 100-10%,TRIAC: 100-10%          |
| <b>Color Temp</b>   | 2700K,3000K,4000K,3500K              |
| <b>CRI</b>          | 90                                   |
| <b>Construction</b> | Aluminum frame with acrylic diffuser |



PL-36530

**REPLACEMENT PARTS**

- HDW-SY25-MA - Hardware Pack
- N/A - Hardware Pack

| Model & Size | Color Temp | Finish        | LED Watts | LED Lumens | Delivered Lumens |
|--------------|------------|---------------|-----------|------------|------------------|
| PL-36530 30" | 2700K      | AB Aged Brass | 25.5W     | 1900       | 1498             |
|              | 2700K      | BK Black      | 25.5W     | 1900       | 1498             |
|              | 3000K      | AB Aged Brass | 25.5W     | 1900       | 1613             |
|              | 3000K      | BK Black      | 25.5W     | 1900       | 1613             |
|              | 3500K      | AB Aged Brass | 25.5W     | 1900       | 1685             |
|              | 3500K      | BK Black      | 25.5W     | 1900       | 1685             |
|              | 4000K      | AB Aged Brass | 25.5W     | 1900       | 1661             |
|              | 4000K      | BK Black      | 25.5W     | 1900       | 1661             |

Example: **PL-36530-40-BK**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)