




Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cinema

PD-30803R

PRODUCT DESCRIPTION

In a luxe finish, the Cinema round multi-light pendant makes a modern statement that's right in line with the latest trends. Painstakingly V-cut seeded crystal adds understated glamour when it fills with light sourced from high-performance LEDs offering color temperature adjustability. You can select 3, 5, 9, 15 or 21 lights installed on a round canopy.

FEATURES


- Driver concealed within the canopy
- V-cut K5 seedy crystal
- Thin, powered aircraft cables prove an ultra-clean look
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- NEC CODE (314.24) requires ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 9, 15, and 21 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 lbs., 100 lbs. and 150 lbs. respectively, or supported independent

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277 VAC, 50/60Hz
Dimming	ELV: 100-5%, TRIAC: 100-5%
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Aluminum frame with seedy K5 crystal

REPLACEMENT PARTS

RPL-GLA-30816 - Replacement Crystal



PD-30803R


Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-30803R 12" - 3 Lights	2700K/3000K/	19.8W	932	AB Aged Brass
	90	19.8W	932	BK Black
	2700K/3000K/			
	90			

Example: **PD-30803R-BK**

For custom requests please contact customs@modernforms.com

* WAC Home components required for tunable white or Dim-to-Warm mode. See WAC Home section on website for additional information or use QR code on the right.





PD-30805R


Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cinema

PD-30805R

PRODUCT DESCRIPTION

In a luxe finish, the Cinema round multi-light pendant makes a modern statement that's right in line with the latest trends. Painstakingly V-cut seeded crystal adds understated glamour when it fills with light sourced from high-performance LEDs offering color temperature adjustability. You can select 3, 5, 9, 15 or 21 lights installed on a round canopy.

FEATURES

- Driver concealed within the canopy
- V-cut K5 seedy crystal
- Thin, powered aircraft cables prove an ultra-clean look
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- NEC CODE (314.24) requires ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 9, 15, and 21 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 lbs., 100 lbs. and 150 lbs. respectively, or supported independ

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277 VAC, 50/60Hz
Dimming	ELV: 100-5%, TRIAC: 100-5%
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Aluminum frame with seedy K5 crystal

REPLACEMENT PARTS

RPL-GLA-30816 - Replacement Crystal


Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-30805R 17" - 5 Lights	2700K/3000K/	35W	1491	AB Aged Brass
	90	35W	1491	BK Black
	2700K/3000K/			
	90			

Example: **PD-30805R-BK**

For custom requests please contact customs@modernforms.com

* WAC Home components required for tunable white or Dim-to-Warm mode. See WAC Home section on website for additional information or use QR code on the right





PD-30809R

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cinema

PD-30809R

PRODUCT DESCRIPTION

In a luxe finish, the Cinema round multi-light pendant makes a modern statement that's right in line with the latest trends. Painstakingly V-cut seeded crystal adds understated glamour when it fills with light sourced from high-performance LEDs offering color temperature adjustability. You can select 3, 5, 9, 15 or 21 lights installed on a round canopy.

FEATURES

- Driver concealed within the canopy
- V-cut K5 seedy crystal
- Thin, powered aircraft cables prove an ultra-clean look
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- NEC CODE (314.24) requires ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 9, 15, and 21 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 lbs., 100 lbs. and 150 lbs. respectively, or supported independent

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277 VAC, 50/60Hz
Dimming	ELV: 100-5%, TRIAC: 100-5%
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Aluminum frame with seedy K5 crystal

REPLACEMENT PARTS

RPL-GLA-30816 - Replacement Crystal


Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-30809R 17" - 9 Lights	2700K/3000K/	56W	2521	AB Aged Brass
	90	56W	2521	BK Black
	2700K/3000K/			
	90			

Example: **PD-30809R-BK**

For custom requests please contact customs@modernforms.com

* WAC Home components required for tunable white or Dim-to-Warm mode. See WAC Home section on website for additional information or use QR code on the right.





PD-30815R

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cinema

PD-30815R

PRODUCT DESCRIPTION

In a luxe finish, the Cinema round multi-light pendant makes a modern statement that's right in line with the latest trends. Painstakingly V-cut seeded crystal adds understated glamour when it fills with light sourced from high-performance LEDs offering color temperature adjustability. You can select 3, 5, 9, 15 or 21 lights installed on a round canopy.

FEATURES

- Driver concealed within the canopy
- V-cut K5 seedy crystal
- Thin, powered aircraft cables prove an ultra-clean look
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- NEC CODE (314.24) requires ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 9, 15, and 21 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 lbs., 100 lbs. and 150 lbs. respectively, or supported independ

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277 VAC, 50/60Hz
Dimming	ELV: 100-5%, TRIAC: 100-5%
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Aluminum frame with seedy K5 crystal

REPLACEMENT PARTS

RPL-GLA-30816 - Replacement Crystal


Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-30815R 23" - 15 Lights	2700K/3000K/	95W	4352	AB Aged Brass
	90	95W	4352	BK Black
	2700K/3000K/			
	90			

Example: **PD-30815R-BK**

For custom requests please contact customs@modernforms.com

* WAC Home components required for tunable white or Dim-to-Warm mode. See WAC Home section on website for additional information or use QR code on the right





PD-30821R

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Cinema

PD-30821R

PRODUCT DESCRIPTION

In a luxe finish, the Cinema round multi-light pendant makes a modern statement that's right in line with the latest trends. Painstakingly V-cut seeded crystal adds understated glamour when it fills with light sourced from high-performance LEDs offering color temperature adjustability. You can select 3, 5, 9, 15 or 21 lights installed on a round canopy.

FEATURES

- Driver concealed within the canopy
- V-cut K5 seedy crystal
- Thin, powered aircraft cables prove an ultra-clean look
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- NEC CODE (314.24) requires ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 9, 15, and 21 light format exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 lbs., 100 lbs. and 150 lbs. respectively, or supported independent

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277 VAC, 50/60Hz
Dimming	ELV: 100-5%, TRIAC: 100-5%
Color Temp	2700K/3000K/3500K/4000K
CRI	90
Construction	Aluminum frame with seedy K5 crystal

REPLACEMENT PARTS

RPL-GLA-30816 - Replacement Crystal

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-30821R 26" - 21 Lights	2700K/3000K/	150W	6092	AB Aged Brass
	90	150W	6092	BK Black
	2700K/3000K/			
	90			

Example: **PD-30821R-BK**

For custom requests please contact customs@modernforms.com

* WAC Home components required for tunable white or Dim-to-Warm mode. See WAC Home section on website for additional information or use QR code on the right

