

Image Coming Soon

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Radiant 56

FR-D2603-56A

PRODUCT DESCRIPTION

Modern Forms sets a new design standard with Radiant, a smart ceiling fan that redefines modern comfort through light, air, and artistry, now available in two sizes. Ambient up-lighting is seamlessly integrated into the design, marking a defining moment in ceiling fan innovation. Its advanced tunable LED system produces over 3700 lumens, creating a soft, architectural glow to illuminate the ceiling. Select an injection-molded acrylic, alabaster or K5 crystal, diffuser upon ordering.

FEATURES

- Features independent and tunable uplight technology producing initial 1007 Lumens
- Select your preferred downlight diffuser upon ordering: injection molded acrylic (L), K5 crystal shards (C), or Natural Alabaster (A)
- Bluetooth remote control included (Part# F4-RCUBT-WT). Optional wall switches are available for 3 or 4 way setup (Part# F4-WCUBT-WT).
- Additional battery operated Bluetooth hand-held remotes are available (Part# F4-RCUBT-WT)
- Silent DC motor runs 70% more energy efficient than traditional AC motors
- 5 years LED module, 2-years for finishes, lifetime on the motor, 1 year for all other parts.
- Every fan is factory-balanced and sound tested to ensure each fan will never wobble, rattle or click.

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	UL, cUL,Damp Location Listed,Energy Star 2.0
Input	120 VAC,50/60Hz
Color Temp	2700K, 3000K, 3500K, 4000K, 50
CRI	90
Construction	Aluminum Body and ABS Blades

Model CCT/CRI	Body & Blade Finish	High CFM	LED Watts	LED Lumens	Delivered Lumens
FR-D2603-56A 2700K, 3000K, 3500K, 4000K, 50 - 90	MB MB - Matte Black	7973	46W	4894	3088
		7973	46W	4894	3088
		7973	46W	4894	3088
	MB/DK DK - Matte Black/Distressed Koa				
	MW MW - Matte White				

Example: **FR-D2603-56A-MW**

For custom requests please contact customs@modernforms.com

* WAC Home components required for tunable white or Dim-to-Warm mode. See WAC Home section on website for additional information or use QR code on the right



Image Coming Soon

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Radiant 56

FR-D2603-56C

PRODUCT DESCRIPTION

Modern Forms sets a new design standard with Radiant, a smart ceiling fan that redefines modern comfort through light, air, and artistry, now available in two sizes. Ambient up-lighting is seamlessly integrated into the design, marking a defining moment in ceiling fan innovation. Its advanced tunable LED system produces over 3700 lumens, creating a soft, architectural glow to illuminate the ceiling. Select an injection-molded acrylic, alabaster or K5 crystal, diffuser upon ordering.

FEATURES

- Features independent and tunable uplight technology producing initial 1007 Lumens
- Select your preferred downlight diffuser upon ordering: injection molded acrylic (L), K5 crystal shards (C), or Natural Alabaster (A)
- Bluetooth remote control included (Part# F4-RCUBT-WT). Optional wall switches are available for 3 or 4 way setup (Part# F4-WCUBT-WT).
- Additional battery operated Bluetooth hand-held remotes are available (Part# F4-RCUBT-WT)
- Silent DC motor runs 70% more energy efficient than traditional AC motors
- 5 years LED module, 2-years for finishes, lifetime on the motor, 1 year for all other parts.
- Every fan is factory-balanced and sound tested to ensure each fan will never wobble, rattle or click.

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	UL, cUL,Damp Location Listed,Energy Star 2.0
Input	120 VAC,50/60Hz
Color Temp	2700K, 3000K, 3500K, 4000K, 50
CRI	90
Construction	Aluminum Body and ABS Blades

Model CCT/CRI	Body & Blade Finish	High CFM	LED Watts	LED Lumens	Delivered Lumens
FR-D2603-56C 2700K, 3000K, 3500K, 4000K, 50 - 90	MB MB - Matte Black	7973	46W	4894	3088
		7973	46W	4894	3088
		7973	46W	4894	3088
	MB/DK DK - Matte Black/Distressed Koa				
	MW MW - Matte White				

Example: **FR-D2603-56C-MW**

For custom requests please contact customs@modernforms.com

* WAC Home components required for tunable white or Dim-to-Warm mode. See WAC Home section on website for additional information or use QR code on the right



Image Coming Soon

Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Radiant 56

FR-D2603-56L

PRODUCT DESCRIPTION

Modern Forms sets a new design standard with Radiant, a smart ceiling fan that redefines modern comfort through light, air, and artistry, now available in two sizes. Ambient up-lighting is seamlessly integrated into the design, marking a defining moment in ceiling fan innovation. Its advanced tunable LED system produces over 3700 lumens, creating a soft, architectural glow to illuminate the ceiling. Select an injection-molded acrylic, alabaster or K5 crystal, diffuser upon ordering.

FEATURES

- Features independent and tunable uplight technology producing initial 1007 Lumens
- Select your preferred downlight diffuser upon ordering: injection molded acrylic (L), K5 crystal shards (C), or Natural Alabaster (A)
- Bluetooth remote control included (Part# F4-RCUBT-WT). Optional wall switches are available for 3 or 4 way setup (Part# F4-WCUBT-WT).
- Additional battery operated Bluetooth hand-held remotes are available (Part# F4-RCUBT-WT)
- Silent DC motor runs 70% more energy efficient than traditional AC motors
- 5 years LED module, 2-years for finishes, lifetime on the motor, 1 year for all other parts.
- Every fan is factory-balanced and sound tested to ensure each fan will never wobble, rattle or click.

SPECIFICATIONS

Rated Life	50,000 Hours
Standards	UL, cUL, Damp Location Listed, Energy Star 2.0
Input	120 VAC, 50/60Hz
Color Temp	2700K, 3000K, 3500K, 4000K, 50
CRI	90
Construction	Aluminum Body and ABS Blades

Model CCT/CRI	Body & Blade Finish	High CFM	LED Watts	LED Lumens	Delivered Lumens
FR-D2603-56L 2700K, 3000K, 3500K, 4000K, 50 - 90	MB MB - Matte Black	7973	46W	4894	3088
		7973	46W	4894	3088
		7973	46W	4894	3088
	MB/DK DK - Matte Black/Distressed Koa				
	MW MW - Matte White				

Example: **FR-D2603-56L-MW**

For custom requests please contact customs@modernforms.com

* WAC Home components required for tunable white or Dim-to-Warm mode. See WAC Home section on website for additional information or use QR code on the right

