MODERN FORMS

Dimming Compatibility

ID E1807050V0

Product Family: Cinema **Sku Tested:** WS-30835

Related Model Numbers:

Test Voltage: 120-277V Control Type: ELV

Test Notes: Refer to dimmer manufacturer's dimmer load rating for min and max fixture quantities per dimmer.

Manufacturer	Product	Model Number	Test Voltage (V)	Measured Dimming Range Low End	Comments				
Adaptive Phase Dimmers									
Control4	Adaptive	C4-APD120	120	2.0%					
Legrand	Adorne Touch (ELV)	ADTH700RMTUM1	120	35.0%	Flicker below 35%				
Legrand	Adorne Touch (TRIAC)	ADTH700RMTUM1	120	30.0%	Not Recommended				
Legrand	Radiant	RH703PTUW	120	15.0%					
Legrand	Adorne (ELV)	ADTP703TUW4	120	8.0%					
Legrand	Adorne (TRIAC)	ADTP703TUW4	120	3.0%	Not Recommended				
Cooper	AL Series	AAL06	120	73.0%	Flicker below 73%				
Control4	Adaptive	C4-APD277	277	2.0%					
Reverse Phase Dimmers (ELV)									
Lutron	Nova T	NTELV-600	120	6.0%					
Lutron	Diva	DVELV-300P	120	2.0%					
Lutron	Maestro	MAELV-600	120	2.0%					
Lutron	Skylark	SELV-300P	120	2.0%					
Leviton	Illumatech	IPE04-1LZ	120	19.0%					
Lutron	Maestro	RRD-6NA	120	0.5%					
Leviton	SureSlide	6615-P0W	120	11.0%					
Leviton	Decora	DSE06-10Z	120	1.0%					
Lutron	Caseta	PD-5NE	120	3.0%					
Lutron	Homeworks	HRD-5NE	120	N/A	Flashing at high dimming level				
Leviton	Renoir II	AWSMT-EBW	120	0.5%					
Lutron	Grafik-Eye	GRX-3103-A-G	120	0.1%					
Leviton	Renoir II	AWSMT-EBW	277	0.5%					
Lutron	Grafik-Eye	GRX-3103-A-G	277	0.1%					
Forward Phase Dimmers (TRIAC)									
Lutron	Maestro	MACL-153M-WH	120	50.0%	Not Recommended				
Lutron	Diva	DVCL-153PD	120	41.0%	Not Recommended				
Legrand	Adorne Paddle	ADPD453LW2	120	8.0%	Not Recommended				
Lutron	Ariadni	AYCL-153PH	120	36.0%	Not Recommended				

Perceived light level percentage is the square root of the measured light level percentage, per IESNA Lighting Handbook. This report reflects Modern Forms's test results of a single fixture in single-pole wiring configuration for reference purposes; actual results may vary based on field conditions. Dimmer manufacturers may modify their product at any time, without notice to Modern Forms, and therefore Modern Forms cannot ensure future compatibility. For any questions on this report, please contact Modern Forms Customer Service at 1-866-810-6615 or customerservice@modernforms.com.

Forward Phase Dimmers (TRIAC) Cont.								
Lutron	Skylark	SCL-153P-WH	120	38.0%	Not Recommended			
Lutron	Maestro	MA-600-WH	120	N/A	Not Recommended			
Leviton	SureSlide	6674-POW	120	N/A	Not Recommended			
Lutron	Caseta	PD-6WCL	120	23.0%	Not Recommended			
Legrand	Harmony	HCL453PW	120	13.0%	Not Recommended			
Legrand	Radiant	RHCL453PW	120	23.0%	Not Recommended			

Perceived light level percentage is the square root of the measured light level percentage, per IESNA Lighting Handbook. This report reflects Modern Forms's test results of a single fixture in single-pole wiring configuration for reference purposes; actual results may vary based on field conditions. Dimmer manufacturers may modify their product at any time, without notice to Modern Forms, and therefore Modern Forms cannot ensure future compatibility. For any questions on this report, please contact Modern Forms Customer Service at 1-866-810-6615 or customerservice@modernforms.com.