

MODERN FORMS

Dimming Compatibility

ID E1710258V0

Product Family: SKYSCRAPER

Sku Tested: WS-W68612

Related Models

Test Voltage: 120V

Control Type: ELV

Test Notes: Refer to dimmer manufacturer's dimmer load rating for min and max fixture quantities per dimmer.

Manufacturer	Product	Model Number	Test Voltage (V)	Measured Dimming Range	Comments
				Low End	
Adaptive Phase Dimmers					
Control4	Adaptive	C4-APD120	120	5.0%	
Legrand	Adorne Touch (ELV)	ADTH700RMTUM1	120	5.0%	
Legrand	Adorne Touch (TRIAC)	ADTH700RMTUM1	120	4.0%	Not Recommended
Legrand	Radiant	RH703PTUW	120	19.0%	Flicker below 19%
Legrand	Adorne (ELV)	ADTP703TUW4	120	6.0%	
Legrand	Adorne (TRIAC)	ADTP703TUW4	120	6.0%	Not Recommended
Cooper	AL Series	AAL06	120	17.0%	Flicker below 17%
Reverse Phase Dimmers (ELV)					
Lutron	Nova T	NTELV-600	120	5.0%	
Lutron	Diva	DVELV-300P	120	5.0%	
Lutron	Maestro	MAELV-600	120	5.0%	
Lutron	Skylark	SELV-300P	120	5.0%	
Leviton	Illumatech	IPE04-1LZ	120	11.0%	
Lutron	Maestro	RRD-6NA	120	5.0%	
Leviton	SureSlide	6615-POW	120	8.0%	
Leviton	Decora	DSE06-10Z	120	5.0%	
Lutron	Caseta	PD-5NE	120	5.0%	
Lutron	Homeworks	HRD-5NE	120	5.0%	
Lutron	Homeworks	HQRD-6NA	120	N/A	
Leviton	Renoir II	AWSMT-EBW	120	5.0%	
Lutron	Grafik-Eye	GRX-3103-A-G	120	5.0%	
Forward Phase Dimmers (TRIAC)					
Lutron	Maestro	MACL-153M-WH	120	5.0%	Not Recommended
Lutron	Diva	DVCL-153P	120	5.0%	Not Recommended
Legrand	Adorne Paddle	ADPD453LW2	120	10.0%	Not Recommended
Lutron	Ariadni	AYCL-153PH	120	7.0%	Not Recommended
Lutron	Skylark	SCL-153P-WH	120	5.0%	Not Recommended
Lutron	Maestro	MA-600-WH	120	N/A	Not Recommended
Leviton	SureSlide	6674-POW	120	9.0%	Not Recommended
Lutron	Caseta	PD-6WCL	120	17.0%	Not Recommended
Legrand	Harmony	HCL453PW	120	5.0%	Not Recommended
Legrand	Radiant	RHCL453PW	120	4.0%	Not Recommended

Perceived light level percentage is the square root of the measured light level percentage, per IESNA Lighting Handbook. This report reflects Modern Forms's test results of a single fixture in single-pole wiring configuration for reference purposes; actual results may vary based on field conditions. Dimmer manufacturers may modify their product at any time, without notice to Modern Forms, and therefore Modern Forms cannot ensure future compatibility. For any questions on this report, please contact Modern Forms Customer Service at 1-866-810-6615 or customerservice@modernforms.com.

MODERN FORMS

Dimming Compatibility

ID E1711021V0

Product Family: SKYSCRAPER

Sku Tested: WS-W68618

Related Model:

Test Voltage: 120V

Control Type: ELV

Test Notes: Refer to dimmer manufacturer's dimmer load rating for min and max fixture quantities per dimmer.

Manufacturer	Product	Model Number	Test Voltage (V)	Measured Dimming Range	Comments
				Low End	
Adaptive Phase Dimmers					
Control4	Adaptive	C4-APD120	120	3.0%	
Legrand	Adorne Touch (ELV)	ADTH700RMTUM1	120	3.0%	
Legrand	Adorne Touch (TRIAC)	ADTH700RMTUM1	120	3.0%	
Legrand	Radiant	RH703PTUW	120	N/A	Dimmer not responsive
Legrand	Adorne (ELV)	ADTP703TUW4	120	3.0%	
Legrand	Adorne (TRIAC)	ADTP703TUW4	120	3.0%	
Cooper	AL Series	AAL06	120	4.0%	Flicker below 4%
Reverse Phase Dimmers (ELV)					
Lutron	Nova T	NTELV-600	120	4.0%	
Lutron	Diva	DVELV-300P	120	4.0%	
Lutron	Maestro	MAELV-600	120	3.0%	
Lutron	Skylark	SELV-300P	120	3.0%	
Leviton	Illumatech	IPE04-1LZ	120	10.0%	
Lutron	Maestro	RRD-6NA	120	3.0%	
Leviton	SureSlide	6615-POW	120	5.0%	
Leviton	Decora	DSE06-10Z	120	3.0%	
Lutron	Caseta	PD-5NE	120	3.0%	
Lutron	Homeworks	HRD-5NE	120	N/A	Flashing at high dimming level
Leviton	Renoir II	AWSMT-EBW	120	3.0%	
Lutron	Grafik-Eye	GRX-3103-A-G	120	3.0%	
Forward Phase Dimmers (TRIAC)					
Lutron	Maestro	MAEL-153M-WH	120	3.0%	Not Recommended
Lutron	Diva	DVCL-153PD	120	3.0%	Not Recommended
Legrand	Adorne Paddle	ADPD453LW2	120	N/A	Not Recommended
Lutron	Ariadni	AYCL-153PH	120	3.0%	Not Recommended
Lutron	Skylark	SCL-153P-WH	120	3.0%	Not Recommended
Lutron	Maestro	MA-600-WH	120	N/A	Not Recommended
Leviton	SureSlide	6674-POW	120	4.0%	Not Recommended
Lutron	Caseta	PD-6WCL	120	3.0%	Not Recommended
Legrand	Harmony	HCL453PW	120	N/A	Not Recommended
Legrand	Radiant	RHCL453PW	120	N/A	Not Recommended

Perceived light level percentage is the square root of the measured light level percentage, per IESNA Lighting Handbook. This report reflects WAC's test results of a single fixture in single-pole wiring configuration for reference purposes; actual results may vary based on field conditions. Dimmer manufacturers may modify their product at any time, without notice to WAC Lighting, and therefore WAC Lighting cannot ensure future compatibility. For any questions on this report, please contact WAC Lighting Customer Service at 1-800-526-2588 or sales@wacighting.com.

MODERN FORMS

Dimming Compatibility

ID E1711026V0

Product Family: SKYSCRAPER

Sku Tested: WS-W68627

Related Model:

Test Voltage: 120V

Control Type: ELV

Test Notes: Refer to dimmer manufacturer's dimmer load rating for min and max fixture quantities per dimmer.

Manufacturer	Product	Model Number	Test Voltage (V)	Measured Dimming Range	Comments
				Low End	
Adaptive Phase Dimmers					
Control4	Adaptive	C4-APD120	120	5.0%	
Legrand	Adorne Touch (ELV)	ADTH700RMTUM1	120	68.0%	Flashing at high dimming level
Legrand	Adorne Touch (TRIAC)	ADTH700RMTUM1	120	59.0%	Flashing at high dimming level
Legrand	Radiant	RH703PTUW	120	25.0%	
Legrand	Adorne (ELV)	ADTP703TUUW4	120	17.0%	
Legrand	Adorne (TRIAC)	ADTP703TUUW4	120	15.0%	
Cooper	AL Series	AAL06	120	N/A	Flashing at all dimming levels
Reverse Phase Dimmers (ELV)					
Lutron	Nova T	NTELV-600	120	5.0%	
Lutron	Diva	DVELV-300P	120	6.0%	
Lutron	Maestro	MAELV-600	120	5.0%	
Lutron	Skylark	SELV-300P	120	5.0%	
Leviton	Illumatech	IPE04-1LZ	120	10.0%	
Lutron	Maestro	RRD-6NA	120	5.0%	
Leviton	SureSlide	6615-POW	120	6.0%	
Leviton	Decora	DSE06-10Z	120	6.0%	
Lutron	Caseta	PD-5NE	120	5.0%	
Lutron	Homeworks	HRD-5NE	120	N/A	Flashing at all dimming levels
Leviton	Renoir II	AWSMT-EBW	120	5.0%	
Lutron	Grafik-Eye	GRX-3103-A-G	120	11.0%	
Forward Phase Dimmers (TRIAC)					
Lutron	Maestro	MAELV-153M-WH	120	66.0%	Not Recommended
Lutron	Diva	DVCL-153PD	120	N/A	Not Recommended
Legrand	Adorne Paddle	ADPD453LW2	120	N/A	Not Recommended
Lutron	Ariadni	AYCL-153PH	120	N/A	Not Recommended
Lutron	Skylark	SCL-153P-WH	120	N/A	Not Recommended
Lutron	Maestro	MA-600-WH	120	N/A	Not Recommended
Leviton	SureSlide	6674-POW	120	N/A	Not Recommended
Lutron	Caseta	PD-6WCL	120	N/A	Not Recommended
Legrand	Harmony	HCL453PW	120	N/A	Not Recommended
Legrand	Radiant	RHCL453PW	120	N/A	Not Recommended

Perceived light level percentage is the square root of the measured light level percentage, per IESNA Lighting Handbook. This report reflects WAC's test results of a single fixture in single-pole wiring configuration for reference purposes; actual results may vary based on field conditions. Dimmer manufacturers may modify their product at any time, without notice to WAC Lighting, and therefore WAC Lighting cannot ensure future compatibility. For any questions on this report, please contact WAC Lighting Customer Service at 1-800-526-2588 or sales@wacighting.com.

MODERN FORMS

Dimming Compatibility

ID E1911066V0

Product Family: SKYSCRAPER

Sku Tested: WS-W68637

Related Models

Test Voltage: 120V

Control Type: ELV

Test Notes: Refer to dimmer manufacturer's dimmer load rating for min and max fixture quantities per dimmer.

Manufacturer	Product	Model Number	Test Voltage (V)	Measured Dimming Range	Comments
				Low End	
Adaptive Phase Dimmers					
Control4	Adaptive	C4-APD120	120	8.0%	Flicker below 8%
Legrand	Adorne Touch (ELV)	ADTH700RMTUM1	120	35.0%	Flicker below 35%
Legrand	Adorne Touch (TRIAC)	ADTH700RMTUM1	120	40.0%	Not Recommended
Legrand	Radiant	RH703PTUW	120	N/A	Flashing at high dimming level
Legrand	Adorne (ELV)	ADTP703TUW4	120	8.0%	Flicker below 8%
Legrand	Adorne (TRIAC)	ADTP703TUW4	120	N/A	Not Recommended
Cooper	AL Series	AAL06	120	59.0%	Flashing at low dimming level
Reverse Phase Dimmers (ELV)					
Lutron	Nova T	NTELV-600	120	9.0%	Flicker below 9%
Lutron	Diva	DVELV-300P	120	7.0%	Flicker below 7%
Lutron	Maestro	MAELV-600	120	7.0%	Flicker below 7%
Lutron	Skylark	SELV-300P	120	7.0%	Flicker below 7%
Leviton	Illumatech	IPE04-1LZ	120	7.0%	Flicker below 7%
Lutron	Maestro	RRD-6NA	120	7.0%	Flicker below 7%
Leviton	SureSlide	6615-POW	120	8.0%	Flicker below 8%
Leviton	Decora	DSE06-10Z	120	7.0%	Flicker below 7%
Lutron	Caseta	PD-5NE	120	7.0%	Flicker below 7%
Lutron	Homeworks	HRD-5NE	120	N/A	Flashing at all dimming levels
Lutron	Homeworks	HQRD-6NA	120	94.0%	Flashing at high dimming level; Start up flash at high dimming level
Leviton	Renoir II	AWSMT-EBW	120	N/A	Flashing at all dimming levels
Lutron	Grafik-Eye	GRX-3103-A-G	120	N/A	Flashing at all dimming levels
Forward Phase Dimmers (TRIAC)					
Lutron	Maestro	MACL-153M-WH	120	44.0%	Not Recommended
Lutron	Diva	DVCL-153P	120	33.0%	Not Recommended
Legrand	Adorne Paddle	ADPD453LW2	120	32.0%	Not Recommended
Lutron	Ariadni	AYCL-153PH	120	28.0%	Not Recommended
Lutron	Skylark	SCL-153P-WH	120	35.0%	Not Recommended
Lutron	Maestro	MA-600-WH	120	N/A	Not Recommended
Leviton	SureSlide	6674-POW	120	24.0%	Not Recommended
Lutron	Caseta	PD-6WCL	120	49.0%	Not Recommended
Legrand	Harmony	HCL453PW	120	14.0%	Not Recommended
Legrand	Radiant	RHCL453PW	120	17.0%	Not Recommended

Perceived light level percentage is the square root of the measured light level percentage, per IESNA Lighting Handbook. This report reflects Modern Forms's test results of a single fixture in single-pole wiring configuration for reference purposes; actual results may vary based on field conditions. Dimmer manufacturers may modify their product at any time, without notice to Modern Forms, and therefore Modern Forms cannot ensure future compatibility. For any questions on this report, please contact Modern Forms Customer Service at 1-866-810-6615 or customerservice@modernforms.com.